

Pathex

REPAIR PARTS



PATHEX, INC.
Subsidiary of Pathe Exchange, Inc.
35 West 45th Street,
New York

PARTS FOR PATHEX PROJECTOR

Rewind-Head

No.		
1	Complete head (without lens) -----	\$4.50
2	Lens (regular) -----	2.00
3	Rewinder door complete with shaft -----	.25
4	Spring for rewinder door -----	.10
5	Rewinder crank handle -----	.40
6	Idler roller with axle and nut -----	.15
7	Screw and nut for focusing lever -----	.05
8	Lever for focusing with screw and nut -----	.15
9	Upper gear with collar and screw -----	.40
10	Lower gear with screw -----	.60
11	Upper axle -----	.30
12	Knurled nut -----	.10

Frame

20	Body frame (without front plate, guards, base, head, film gate) -----	\$12.00
21	Mechanism housing with lens bonnet -----	1.50
22	Front plate (no trigger plate) -----	3.50
23	Base (without posts or nuts) -----	3.50
24	Post with two nuts for base -----	.15
25	Housing guard for pulleys -----	.25
26	Nut for front plate -----	.05
27	Nut for housing guard of pulleys -----	.10

Lamp House and Film Gate

35	Lamp house complete with reflector, socket and con- tacts, and film gate complete with pressing frame, axle and plunger (except condenser and lamp) ----	\$7.50
36	Lamp house body with latch (without socket and reflector holder) -----	1.25
37	Reflector holder (without reflector, guard and ring) --	1.25
38	Reflector with ring and guard -----	2.50
39	Knurled nut for reflector holder -----	.10
40	Lamp socket (without plunger, nuts, insulation) ----	.50
41	Contact plunger with spring, and nut and knurled nut	.30
42	Fibre bushing -----	.10
43	Insulating linings (interior and exterior) pair ----	.15
44	Clamp plate, nut and knurled nut -----	.15

No.		
45	Film gate with shock spring, plunger, spring, axle (no condenser, no pressing frame) -----	\$3.50
46	Axle, spring and plunger -----	.15
47	Pressing frame with springs and cotter pins -----	.90
48	Springs (2) and cotter pins for pressing frame -----	.10
49	Latch and screw -----	.15
50	Condenser and spring -----	2.50
51	Spring for condenser -----	.05
52	Knurled nut for contact wire -----	.10

Mechanism

65	Trigger retaining plate -----	\$0.10
66	Trigger arm (with button) -----	.20
67	Trigger, stud screw and spring -----	.20
68	Tripping lever with hinge and screw -----	.80
69	Tripping lever spring -----	.10
70	Timing slide -----	.30
71	Timing slide spring -----	.10
72	Cam assembly -----	1.00
73	Claw with hook (single) -----	.30
74	Claw carrier with claw bushing -----	.60
75	Flywheel with shaft -----	3.00
76	Framing aperture with lever and screw -----	.25
77	Crank handle -----	.80
78	Threaded guide post for rewinder head -----	.15
79	Claw double with hook -----	.75
80	Shock absorber washer for timing slide -----	.10

Take-Up

90	Disc with axle and nut -----	\$3.00
91	Collar guide complete -----	2.00
92	Retaining ring for glass cover -----	.15
93	Glass cover -----	.15
94	Rubber ring -----	.10
95	Drum with screw and spring, washer and rubber ring -----	1.00
96	Spring and screw for drum -----	.10
97	Rubber belt -----	.15
98	Upper pulley with gear -----	.35
99	Lower pulley -----	.50
100	Axle of upper pulley -----	.50
101	Nut for lower pulley -----	.05

RHEOSTAT FOR LAMP

No.		
115	Rheostat complete with plug pins, screws and nuts ..	\$3.50
116	Connecting wires with eyelet tips25
117	Handle lever complete50
118	Insulating fibre plate upper10
119	Insulating fibre plate lower10
120	Insulating fibre plate top (black)15
121	Metal guard for insulating plate15
122	Plug pin with nut35

ELECTRIC MOTOR

135	Motor with pulley and rubber ring (no bracket) ----	\$13.00
136	Bracket with spring and collar75
137	Collar with screws20
138	Spring for bracket05
139	Carbon brush, pair30
140	Brush spring10
141	Brush holder25
142	Pulley with rubber ring25
143	Rubber ring10
144	Bearing washer with four tongues10
145	Bearing washer with one tongue10
146	Hexagon nut10
147	Grease cup with wick40
148	Insulator bushing10

RHEOSTAT FOR MOTOR

Rectangular Model

160	Rheostat complete	\$3.50
161	Fibre knob, screw and spacer15
162	Connecting wires20

Round Model

180	Rheostat complete	3.50
181	Knob35
182	Nut10
183	Fibre washer05
184	Connecting wires20
185	Plug with connecting prongs50

PARTS FOR PATHEX CAMERA

No.		
200	Case with 1/2 hinge, latch, bezels, black leather (without door, view finder, tripod socket) -----	\$6.50
201	Door of case with 1/2 hinge, springs and thrust bracket (black leather) -----	3.50
202	View finder with eye piece, base and screws (assembled) -----	1.50
203	View finder (without base and eye piece) -----	.30
204	Eye piece for view finder -----	.20
205	Latch assembled -----	.25
206	Bezel for crank -----	.10
207	Bezel for counter -----	.10
208	Tripod socket -----	.35
209	Counter's window with handle and shaft -----	.50
210	Crank assembled -----	1.00
211	Spring and screw for crank -----	.20
212	Anastigmat lens F 3.5 with mount and iris diaphragm	10.00
213	Film gate with pressure pad, guide, stud and springs	4.00
214	Spring for gate arm -----	.10
215	Spring for pressure pad -----	.10
216	Take-up prong socket -----	.75
217	Take-up spring retainer -----	.15
218	Take-up spring -----	.10
219	Claw with lever assembled -----	1.50
220	Pressure pad -----	.75

PARTS FOR AUTOMATIC DRIVE

No.		
250	Case with holders, handle and bezel rims -----	\$6.50
251	Leather handle and triangular loops -----	.50
252	Triangular loops for handle (2) -----	.10
253	Holder plate for leather handle with knob, loop, spring, plate and three screws -----	.50
254	Thumb screw for holder plate -----	.10
255	Screws for handle holder (3) -----	.15
256	Spring plate for holder plate -----	.05
257	Winding key with pin, spring and plunger -----	1.00
258	Plunger, spring and pin for winding key -----	.15
259	Auxiliary starting knob -----	.20
260	Counter dial with handle and shaft -----	.30
261	Bezel rim for key -----	.10
262	Bezel rim for counter -----	.10
263	Starting button (front) -----	.10
264	Spring for starting button -----	.05
265	Tripod base and four screws -----	.25
266	Screw for mounting camera on base -----	.05
267	Driver -----	.20
268	Main spring -----	1.50
269	Ratchet pawl -----	.10
270	Ratchet spring -----	.05
271	Governor assembled with pinion and stopping hub ---	3.00
272	Governor springs (2) -----	.25
273	Leather shoes for governor (2) -----	.05